

## CHAPTER

# 13

### 참고 문헌

1. 대한산부인과학회. 부인과학. 제4판. 서울: 고려의학; 2007. p.2019-52.
2. 유동주, 박철홍, 김혁, 신소영, 최은영, 홍서유 등. McIndoe 수술법으로 질 성형술을 시행한 뮬러관 결손증 2예. 대한산부회지 2004;47:377-83.
3. Alessandrescu D, Peltecu GC, Buhimschi CS, Buhimschi IA. Neocolpopoiesis with split-thickness skin graft as a surgical treatment of vaginal agenesis: retrospective review of 201 cases. Am J Obstet Gynecol 1996;175:131-8.
4. Bose HS, Sugawara T, Strauss JF 3rd, Miller WL. The pathophysiology and genetics of congenital lipoid adrenal hyperplasia. International Congenital Lipoid Adrenal Hyperplasia Consortium. N Engl J Med 1996;335:1870-8.
5. Branford WW, Benson GV, Ma L, Maas RL, Potter SS. Characterization of Hoxa-10/Hoxa-11 transheterozygotes reveals functional redundancy and regulatory interactions. Dev Biol 2000;224:373-87.
6. Chassot AA, Ranc F, Gregoire EP, Roepers-Gajadien HL, Taketo MM, Camerino G, et al. Activation of beta-catenin signaling by Rspol controls differentiation of the mammalian ovary. Hum Mol Genet 2008;17:1264-77.
7. Chua SC, Szabo P, Vitek A, Grzeschik KH, John M, White PC. Cloning of cDNA encoding steroid 11 beta-hydroxylase(P450c11). Proc Natl Acad Sci USA 1987;84:7193-7.
8. Cool J, Capel B. Mixed signals: development of the testis. Seminars Reprod Med 2009;27:5-13.
9. Duck SC, Katayama KP. Danazol may cause female pseudohermaphroditism. Fertil Steril 1981; 35: 230-1.
10. Fedele L, Arcaini L, Parazzini F, Vercellini P, Di Nola G. Reproductive prognosis after hysteroscopic metroplasty in 102 women: life-table analysis. Fertil Steril 1993;59:768-72.
11. Frank RT. The formation of an artificial vagina without operation. Am J Obstet Gynecol 1938;35:1053-5.
12. Fritz MA, Speroff L. Clinical gynecologic endocrinology and infertility. 8th ed. Baltimore: Williams and Wilkins; 2010. p; 331-89.
13. Griffin JE, McPhaul MJ, Russell DW, Wilson JD. The androgen resistance syndromes: steroid 5-alpha-reductase 2 deficiency, testicular feminization, and related disorders. In: C.R. Scriver, et al., editors. The Metabolic and Molecular Basis of Inherited Disease. McGraw-Hill: New York; 2001. p; 4117-44.
14. Heinonen PK, Saarikoski S, Pystynen P. Reproductive performance of women with uterine anomalies. Acta Obstet Gynecol Scand 1982;61:157-62.
15. Hugh S, Taylor LP, Emre Seli, Amenorrhea. In: Speroff's Clinical Gynecologic Endocrinology and Infertility. Ninth ed.: Wolters Kluwer; 2020.
16. Hines M. Early androgen influences on human neural and behavioural development. Early Hum Dev 2008;84:805-7.
17. Imbeaud S, Faure E, Lamarre I, Mattei MG, di Clemente N, Tizard R, et al. Insensitivity to anti-mullerian hormone due to a mutation in the human anti-mullerian hormone receptor. Nat Genet 1995;11:382-8.
18. Imperato-McGinley J, Peterson RE, Gautier T, Sturla E. Androgens and the evolution of male-gender identity among male pseudohermaphrodites with 5alpha-reductase deficiency. N Engl J Med 1979;300:1233-7.
19. Imperato-McGinley J, Pichardo M, Gautier T, Voyer D, Bryden MP. Cognitive abilities in androgen-insensitive subjects: comparison with control males and females from the same kindred. Clin Endocrinol 1991;34:341-7.
20. Ingram JM. The bicycle seat stool in the treatment of vaginal agenesis and stenosis: a preliminary report. Am J Obstet Gynecol 1981;140:867-73.

21. Jeays-Ward K, Hoyle C, Brennan J, Dandonneau M, Alldus G, Capel B, et al. Endothelial and steroidogenic cell migration are regulated by WNT4 in the developing mammalian gonad. *Development* 2003;130:3663-70.
22. Jindal G, Kachhwaha S, Meena GL, Dhakar G. Uterus didelphys with unilateral obstructed hemicagina with hematometrocolpos and hematosalpinx with ipsilateral agenesis. *J Hum Reprod Sci* 2009;2:87-9.
23. Kehagias DT, Smyrniotis VE, Karvounis EE, Gouliamos AD, Creatsas G. Large lipoma of the vulva. *Eur J Obstet Gynecol Reprod Biol*. 1999;84:5-6.
24. Klattig J, Englert C. The Mullerian duct: recent insights into its development and regression. *Sex Dev* 2007;1:271-8.
25. Kobayashi A, Shawlot W, Kania A, Behringer RR. Requirement of Lim1 for female reproductive tract development. *Development* 2004;131:539-49.
26. Krob G, Braun A, Kuhnle U. Geographical distribution, clinical findings, chromosomes and gonadal histology. *Eur J Pediatr* 1994;153:2-10.
27. Leung AK, Robson WL, Tay-Uyboco J. The incidence of labial fusion in children. *J Paediatr Child Health* 1993;29:235-6.
28. Levinson G, Zarate A, Guzman-Toledano R, Canales ES, Jimenez M. An XX female with sexual infantilism, absent gonads, and lack of Mullerian ducts. *J Med Genet* 1976;13:68-9.
29. Lin D, Sugawara T, Strauss JF 3rd, Clark BJ, Stocco DM, Saenger P, et al. Role of steroidogenic acute regulatory protein in adrenal and gonadal steroidogenesis. *Science* 1995;267:1828-31.
30. McKusick VA. Transeverse vaginal septum (Hydrometrocolpos). *Birth Defects* 1971;7:326.
31. McLaren A. Development of the mammalian gonad: the fate of the supporting cell lineage. *Bioessays* 1991;13:151-6.
32. Merke DP, Bornstein SR, Avila NA, Chrousos GP. NIH conference. Future directions in the study and management of congenital adrenal hyperplasia due to 21-hydroxylase deficiency. *Ann Intern Med* 2002;136:320-34.
33. Meyer-Bahlburg HF, Dolezal C, Baker SW, New MI. Sexual orientation in women with classical or non-classical congenital adrenal hyperplasia as a function of degree of prenatal androgen excess. *Arch Sex Behav* 2008;37:85-99.
34. Michala L, Goswami D, Creighton SM, Conway GS. Swyer syndrome: presentation and outcomes. *BJOG* 2008;115:737-41.
35. Miyamoto Y, Taniguchi H, Hamel F, Silversides DW, Viger RS. A GATA4/WT1 cooperation regulates transcription of genes required for mammalian sex determination and differentiation. *BMC Mol Biol* 2008;9:44.
36. Musich JR, Behrman SJ. Obstetric outcome before and after metroplasty in women with uterine anomalies. *Obstet Gynecol* 1978;52:63-6.
37. Nahum GG. Uterine anomalies: How common are they, and what is their distributing among subtype? *J Reprod Med* 1998;43:877-87.
38. New MI, del Balzo P, Crawford C, Speiser PW. The adrenal cortex. In: Kaplan SA, ed. *Clinical pediatric endocrinology*. Philadelphia: Saunders; 1990:181-234.
39. Nordenstrom A, Servin A, Bohlin G, Larsson A, Wedell A. Sex-typed toy play behavior correlates with the degree of prenatal androgen exposure assessed by CYP21 genotype in girls with congenital adrenal hyperplasia. *J Clin Endocrinol Metab* 2002;87:5119-24.
40. Ohyama K. Disorders of sex differentiation caused by exogenous hormones. *Nihon Rinsho*. 2004;62:379-84.
41. Orvis GD, Behringer RR. Cellular mechanisms of Mullerian duct formation in the mouse. *Dev Biol* 2007;306:493-504.
42. Palmer SJ, Burgoynie PS. In situ analysis of fetal, prepuberal and adult XX--XY chimaeric mouse testes: Sertoli cells are predominantly, but not exclusively, XY. *Development* 1991;112:265-8.
43. Pasterski V, Hindmarsh P, Geffner M, Brook C, Brain C, Hines M. Increased aggression and activity level in 3- to 11-yearold girls with congenital adrenal hyperplasia (CAH). *Horm Behav* 2007;52:368-74.
44. Podlasek CA, Seo RM, Clemens JQ, Ma L, Maas RL, Bushman W. Hoxa-10 deficient male mice exhibit abnormal development of the accessory sex organs. *Dev Dyn* 1999;214:1-12.
45. Quigley CA, De Bellis A, Marschke KB, el-Awady MK, Wilson EM, French FS. Androgen receptor defects: historical, clinical, and molecular perspectives. *Endocr Rev* 1995;16:271-321.
46. Rock JA, Jones HW. Surgery for anomalies of the Müllerian ducts. In: Rock JA, Breech LL. *TeLinde's Operative Gynecology* 10th ed Philadelphia, JB. Lippincott; 2007. 539-84.
47. Rock JA, Zcur HA, Dlugi AM, Jones HW Jr. Pregnancy success following surgical correction of imperforate hymen and complete transverse vaginal septum. *Obstet Gynecol* 1982;59:448-51.
48. Rock JA. Anomalous development of the vagina. *Semin Reprod Endocrinol* 1986;4:13-31.
49. Sekido R, Lovell-Badge R. Sex determination and SRY: down to a wink and a nudge? *Trends Genet* 2009;25:19-29.
50. Siiteri PK, Wilson JD. Testosterone formation and metabolism during male sexual differentiation in the human embryo. *J Clin Endocrinol Metab* 1974;38:113-25.

51. Simpson JL, Elias S. Abnormal genital development. In: Simpson JL, Elias S, editors. *Genetics in obstetrics and gynecology*. 3rd ed. Pennsylvania: Elsevier Science; 2003. p291-321.
52. Sinclair AH, Berta P, Palmer MS, Hawkins JR, Griffin J, Smith JJ, et al. A gene from the human sex-determining region encodes a protein with homology to a conserved DNA-binding motif. *Nature* 1990;346:240-4.
53. Smith M. The year in human and medical genetics. Highlights of 2007-2008. *Ann N Y Acad Sci* 2009;1151:1-21.
54. Speiser PW, White PC. Congenital adrenal hyperplasia. *New Engl J Med* 2003;349:776-88.
55. Speiser PW. Congenital adrenal hyperplasia owing to 21-hydroxylase deficiency. *Endocrinol Metab Clin North Am* 2001;30:31-59.
56. Sugawara T, Holt JA, Driscoll D, Strauss JF 3rd, Lin D, Miller WL, et al. Human steroidogenic acute regulatory protein: functional activity in COS-1 cells, tissue-specific expression, and mapping of the structural gene to 8p11.2 and a pseudogene to chromosome 13. *Proc Natl Acad Sci U S A* 1995;92:4778-82.
57. Swyer GI. Male pseudohermaphroditism: a hitherto undescribed form. *Br Med J* 1955;2:709-12.
58. Wallen K. Hormonal influences on sexually differentiated behavior in nonhuman primates. *Front Neuroendocrinol* 2005;26:7-26.
59. Warne GL, Zajac JD. Disorders of sexual differentiation. *Endocrinol Metab Clin North Am* 1998;27:945-67.
60. Wedell A. Molecular genetics of congenital adrenal hyperplasia (21-hydroxylase deficiency): implications for diagnosis, prognosis and treatment. *Acta Paediatr* 1998;87:159-64.
61. Weidemann W, Peters B, Romalo G, Spindler KD, Schweikert HU. Response to androgen treatment in a patient with partial androgen insensitivity and a mutation in the deoxyribonucleic acid-binding domain of the androgen receptor. *J Clin Endocrinol Metab* 1998;83:1173-6.
62. Welsh M, Sharpe RM, Walker M, Smith LB, Saunders PT. New insights into the role of androgens in wolffian duct stabilization in male and female rodents. *Endocrinology* 2009;150:2472-80.
63. Wilhelm D, Martinson F, Bradford S, Wilson MJ, Combes AN, Beverdam A, et al. Sertoli cell differentiation is induced both cell-autonomously and through prostaglandin signaling during mammalian sex determination. *Dev Biol* 2005;287:111-24.
64. Wilhelm D, Palmer S, Koopman P. Sex determination and gonadal development in mammals. *Physiol Rev* 2007;87:1-28.
65. Wilkins L, Jones HW, Jr., Holman GH, Stempfel RS Jr. Masculinization of the female fetus associated with administration of oral and intramuscular progestins during gestation: non-adrenal female pseudohermaphrodisim. *J Clin Endocrinol Metab* 1958;18:559-85.
66. Yilmaz Y, Celik IH, Dizdar EA, Demirel G, Yurtutan S, Erdeve O, et al. Paraurethral cyst in two female newborns: Which therapy option? *Scand J Urol Nephrol*. 2012;46:78-80.
67. Yoo HW, Kim GH. Molecular and clinical characterization of Korean patients with congenital lipoid adrenal hyperplasia. *J Pediatr Endocrinol Metab* 1998;11:707-11.
68. Yordam N, Alikasifoglu A, Kandemir N, Caglar M, Balci S. True hermaphroditism: clinical features, genetic variants and gonadal histology. *J Pediatr Endocrinol Metab* 2001;14:421-5.
69. Zhan Y, Fujino A, MacLaughlin DT, Manganaro TF, Szotek PP, Arango NA, et al. Mullerian inhibiting substance regulates its receptor/SMAD signaling and causes mesenchymal transition of the coelomic epithelial cells early in Mullerian duct regression. *Development* 2006;133:2359-69.
70. Zoppi S, Marcelli M, Deslypere JP, Griffin JE, Wilson JD, McPhaul MJ. Amino acid substitutions in the DNA-binding domain of the human androgen receptor are a frequent cause of receptor-binding positive androgen resistance. *Mol Endocrinol* 1992;6:409-15.