

## CHAPTER

# 45

### 참고 문헌

1. 김경아. 자궁근종과 선근증. 대한비뇨생식기영상의학회. 비뇨생식기영상진단 부인과영상. 제1판. 서울: 일조각; 2009; 55-66.
2. 김미란, 천근영, 오은경, 남궁정, 조현희, 김장흡 Comparison of Laparotomy, laparoscopic and Robotic myomectomy. 대한산부회지 2010;96:159.
3. 김소라, 채희동. 자궁근종과 생식력. 대한생식의학회지 2010;37:191-8.
4. 장석현, 안태순, 오은성, 심재학, 백애란, 원종천 등. 자궁근증에서 혈청 CA-125치와 월경곤란증 정도의 병변 깊이와의 관계. 대한산부회지 2004;47:2380-3.
5. 흥대기, 정민지, 김보섭, 이정미, 조영래, 이택후 등. 한국인 여성에서 자궁근종 발생에 관여하는 인자들에 대한 연구-후향적 연구. 대한불임학회지 2006;33:159-70.
6. Advincula AP, Song A, Burke W, Reynolds PK. Preliminary experience with robot-assisted laparoscopic myomectomy. J Am Assoc Gynecol Laparosc 2004;11:511-8.
7. Advincula AP, Song A. Endoscopic management of leiomyomas. Semin Reprod Med 2004;22:149-55.
8. American College of Obstetricians and Gynecologists' Committee on Practice Bulletins -Gynecology, Practice Bulletin No. 174: Evaluation and Management of Adnexal Masses. Obstet Gynecol 2016;128(5):e210-e226.
9. Ayida G, Kennedy S, Barlow D, Chamberlain P. Contrast sonography for uterine cavity assessment: a comparison of conventional two dimensional with three-dimensional transvaginal ultrasound; a pilot study. Fertil Steril 1996;66:848-50.
10. Baird DD, Dunson DB. Why is parity protective for uterine fibroids- Epidemiology 2003;14:247-50.
11. Bazot M, Cortez A, Darai E, Rouger J, Chopier J, Antoine JM, et al. Ultrasonography compared with magnetic resonance imaging for the diagnosis of adenomyosis: correlation with histopathology. Hum. Reprod 2001;16:2427-33.
12. Benagiano G, Brosens I, Carrara S. Adenomyosis: new knowledge is generating new treatment strategies. Womens Health (Lond Engl) 2009;5:297-311.
13. Bergamini V, Ghezzi F, Cromi A, Bellini G, Zanconato G, Scarperi S, et al. Laparoscopic radiofrequency thermal ablation: a new approach to symptomatic uterine myomas. Am J Obstet Gynecol 2005;192:768-73.
14. Bergeron C, Amant F, Ferency A. A pathology and physiopathology of adenomyosis. Best Pract Res Clin Obstet Gynaecol 2006;20:511-21.
15. Bergholt T, Eriksen L, Berendt N, Jacobsen M, Hertz JB. Prevalence and risk factors of adenomyosis at hysterectomy. Hum Reprod 2001;16:2418-21.
16. Bider D, Mashiach S, Dulitzky M, Kokta E, Lipitz S, Ben-Rafael Z. Clinical, surgical and pathologic findings of adnexal torsion in pregnant and nonpregnant women. Surg Gynecol Obstet 1991;173:363-6.
17. Chiaffarino F, Parazzini F, La Vecchia C, Chatenoud L, Di Cintio E, Marsico S. Diet and uterine myomas. Obstet Gynecol 1999;94:395-8.
18. Cho HH, Kim JH, Kim MR. Transvaginal radiofrequency thermal ablation: a day-care approach to symptomatic uterine myomas. Aust N Z J Obstet Gynaecol 2008;48:296-301.
19. Cohen I, Potlog-Nahari C, Shapira J Yigael D, Tepper R. Simple ovarian cysts in postmenopausal patients with breast carcinoma treated with tamoxifen: long-term follow-up. Radiology 2003;227:844-8.
20. Cohen SB, Oelsner G, Siedman DS, Admon D, Mashiach S, Goldenberg M. Laparoscopic detorsion allows sparing of the twisted ischemic adnexa. J Am Assoc Gynecol Laparosc 1999;6:139-43.
21. Cormerci JT Jr., Licciardi F, Bergh PA, Gregori C, Breen JL.

- Mature cystic teratoma: a clinico-pathologic evaluation of 517 cases and review of the literature. *Obstet Gynecol* 1994;84:22-8.
22. Darai E, Dechaud H, Benifla JL, et al: Fertility after laparoscopic myomectomy: preliminary results. *Hum Reprod* 1997;12:1931-4.
23. Disaia PJ, Creasman WT. The adnexal mass and early ovarian cancer. In: Disaia PJ, Creasman WT, editors. Clinical gynecologic oncology. 5th ed. St. Louis: Mosby-Year Book; 1997. p.253-61.
24. Drife J. conserving the cervix at hysterectomy. *Br J Obstet Gynecol* 1994;101:563-4.
25. Dubisson JB, Fauconnier A, Fourchotte V, Babaki-Fard K, Coste J, Chapron C. Laparoscopic myomectomy: predicting the risk of conversion to an open procedure. *Hum Reprod* 2001;16:1726-31.
26. Falcone T, Bedaiwy MA. Minimally invasive management of uterine fibroids. *Curr Opin Obstet Gynecol* 2002;14:401-7.
27. Farrer-Brown G, Beilby JOW, Tarbit MH. Venous changes in the endometrium of myomatous uterus. *Obstet Gynecol* 1971;38:743-51.
28. Fedele L, Bianchi S, Raffaelli R, Portuese A, Portuese A, Dorta M. Treatment of adenomyosis-associated menorrhagia with a levonorgestrel-releasing intrauterine device. *Fertil Steril* 1997;68:426-9.
29. Flake GP, Andersen J, Dixon D. Etiology and pathogenesis of uterine leiomyomas: a review. *Environ Health Perspect* 2003;111:1037-54.
30. Fong YF, Singh K. Medical treatment of a grossly enlarged adenomyotic uterus with the levonorgestrel-releasing intrauterine system. *Contraception* 1999;60:173-5.
31. Frontino G, Vercellini P, De Giorgi O, Aimi G, Zaina B, Crognani PG. Levonorgestrel-releasing intrauterine device (LNG-IUD) versus expectant management after conservative surgery for symptomatic endometriosis. A pilot study. *Fertil Steril* 2002;77:S25-6.
32. Fukunishi H, Funaki K, Sawada K, Yamaguchi K, Maeda T, Kaji Y. Early results of magnetic resonance-guided focused ultrasound surgery of adenomyosis: analysis of 20 cases. *J Minim Invasive Gynecol* 2008;15:571-9.
33. Funaki K, Sawada K, Maeda F, Nagai S. Subjective effect of magnetic resonance-guided focused ultrasound surgery for uterine fibroids. *J Obstet Gynaecol Res* 2007;33:834-9.
34. Garza-Leal J, Eligianad G, Castillo L. Fibroid treatment by temporary uterine artery occlusion using Doppler-guided clamp. *J Min Invas Gynecol* 2005;12:S82-3.
35. Grimes DA, Jones LB, Lopez LM, Schulz KF. Oral contraceptives for functional ovarian cysts. *Cochrane Database Syst Rev* 2011;9:CD006134.
36. Guven MA, Bese T, Demirkiran F. Comparison of hydrosonography and transvaginal ultrasonography in the detection of intracavitary pathologies in women with abnormal uterine bleeding. *Int J Gynecol Cancer* 2004;14:57-63.
37. Hart R, Molnar BG, Magos A. Long term follow up of hysteroscopic myomectomy assessed by survival analysis. *Br J Obstet Gynaecol* 1999;106:700-5.
38. Hasson HM. Cervical removal at hysterectomy for benign disease: risks and benefits. *J Reprod Med* 1993;38:781-90.
39. Hoffer FA, Kozakewich H, Colodny A, Goldstein DP. Peritoneal inclusion cysts: ovarian fluid in peritoneal adhesions. *Radiology* 1988;169:189-91.
40. Holloway RW, Patel SD, Ahmad S. Robotic Surgery in gynecology. *Scand J Surgery* 2009;98:96-109.
41. Houry D, Abbott JT. Ovarian torsion: a fifteen-year review. *Ann Emerg Med* 2001;38:156-9.
42. Howard T, Sharp MD. Assessment of new technology in the treatment of idiopathic menorrhagia and uterine leiomyomata. *Obstet Gynecol* 2006;108:990-1003.
43. Hudson SB, Stewart EA. Magnetic resonance-guided focused ultrasound surgery. *Clin Obstet Gynecol* 2008;51:159-66.
44. Imai A, Sugiyama M, Furui T, Tamaya T. Treatment of perimenopausal women with uterine myoma: successful use of a depot GnRH agonist leading to a natural menopause. *J Obstet Gynaecol* 2003;23:518-20.
45. Istre O, Hald K, Qvigstad E. Multiple myomas treated with a temporary, non-invasive, Doppler-guided transvaginal uterine artery clamp. *J Am Assoc Gynecol Laparosc* 2004;11:273-6.
46. Kang JL, Wang XX, Nie ML, Huang XH. Efficacy of gonadotropin-releasing hormone agonist and an extended-interval dosing regimen in the treatment of patients with adenomyosis and endometriosis. *Gynecol Obstet Invest* 2010;69:73-7.
47. Kelly RR, Scully RE. Cancer developing in dermoid cysts of the ovary. A report of 8 cases, including a carcinoid and a leiomyosarcoma. *Cancer* 1961;14:989-1000.
48. Kim JS, Woo SK, Suh SJ, Morettin LB. Sonographic diagnosis of paraovarian cysts: value of detecting a separate ipsilateral ovary. *AJR Am J Roentgenol* 1995;164:1441-4.
49. Kim KA, Kim MD, Kim HJ, Lee MH, Cho JH, Cha SH, Yoon S, Ahn EH. Uterine artery embolization for the treatment of symptomatic fibroids. *J Korean Radiol Soc* 2005;52:401-7.
50. Koonings PP, Campbell K, Mishell DR Jr, Grimes DA. Relative frequency of primary ovarian neoplasms: a 10-year review. *Obstet Gynecol* 1989;74:921-6.

51. Kriplani A, Awasthi D, Kulshrestha V, Agarwal N. Efficacy of the levonorgestrel-releasing intrauterine system in uterine leiomyoma. *Int J Gynaecol Obstet* 2012;116:35-8.
52. Laughlin S, Schroeder J, Baird D. New Directions in the Epidemiology of Uterine Fibroids. *Seminars in Reproductive Medicine* 2010;28:204-17.
53. Leon-Villalpando J, Kaniorou-Larai M, Dziewulski P. Full thickness abdominal burn following magnetic resonance guided focused ultrasound therapy. *Burns* 2005;31:1054-5.
54. Leung SW, Yuen PM. Ovarian fibroma: a review on the clinical characteristics, diagnostic difficulties, and management options of 23 cases. *Genecol Obstet Invest* 2006;62:1-6.
55. Lichtinger M, Herbert S, Memmolo A. Temporary transvaginal occlusion of the uterine arteries: a feasibility and safety study. *J Min Invas Gynecol* 2005;12:40-2.
56. Lohle PN, Voogt MJ, De Vries J, Smeets AJ, Vervest HA, Lampmann LE, et al. Long-term outcome of uterine artery embolization for symptomatic uterine leiomyomas. *J Vasc Interv Radiol* 2008;19:319-26.
57. Lumsden MA, West CP, Hawkins RA, Bramley TA, Rumgay L, Baird DT. The binding of steroids to myometrium and leiomyomata (fibroids) in women treated with the gonadotrophin-releasing hormone agonist Zoladex (ICI 118630). *J Endocrinol* 1989;121:389-96.
58. Macarthur M, Mahomed AA. Laparoscopy in the diagnosis and management of a complicated paraovarian cyst. *Surg Endosc* 2003;17:1676-7.
59. Maia H Jr, Maltez A, Coelho G, Athayde C, Coutinho EM. Insertion of mirena after endometrial resection in patients with adenomyosis. *J Am Assoc Gynecol Laparosc* 2003;10:512-16.
60. Malcolm G Munro, Hilary O D Critchley, Michael S Broder, Ian S Fraser, FIGO Working Group on Menstrual Disorders. FIGO classification system (PALM-COEIN) for causes of abnormal uterine bleeding in nongravid women of reproductive age. *Int J Gynaecol Obstet* 2011;113(1):3-13.
61. Marret H, Chevillot M, Giraudeau B; Study Group of the French Society of Gynaecology and Obstetrics. Factors influencing laparoconversions during the learning curve of laparoscopic myomectomy. *Acta Obstet Gynecol Scand* 2006;85:324-9.
62. Marshall LM, Spiegelman D, Barbieri RL, Goldman MB, Manson JE, Colditz GA, et al. Variation in the incidence of uterineleiomyoma among premenopausal women by age and race. *Obstet Gynecol* 1997;90:967-73.
63. Marshall LM, Spiegelman D, Goldman MB, Manson JE, Colditz GA, Barbieri RL, et al. A prospective study of reproductive factors and oral contraceptive use in relation to the risk of uterine leiomyomata. *Fertil Steril* 1998;70:432-9.
64. McGavigan CJ, Dockery P, Metaxa-Mariatou V, Campbell D, Stewart CJ, Cameron IT, et al. Hormonally mediated disturbance of angiogenesis in the human endometrium after exposure to intrauterine levonorgestrel. *Hum Reprod* 2003;18:77-84.
65. McGovern PG, Noah r, Koenigsberg R, Little AB. Adnexal torsion and pulmonary embolism: case report and review of the literature. *Obstet Gynecol surv* 1999;54:601-8.
66. Mittal Suneeta, Gupta Nupur, Sharma AK, Dadhwal V. Laparoscopic management of a large recurrent benign mucinous cystadenoma of the ovary. *Arch Gynecol Obstet* 2008;277:379-80.
67. Morita Y, Ito N, Hikida H, Takeuchi S, Nakamura K, Ohashi H. Non-invasive magnetic resonance imaging-guided focused ultrasound treatment for uterine fibroids-early experience. *Eur J Obstet Gynecol Reprod Biol* 2008;139:199-203.
68. Nagata C, Nakamura K, Oba S, Hayashi M, Takeda N, Yasuda K. Association of intakes of fat, dietary fibre, soya isoflavones and alcohol with uterine fibroids in Japanese women. *Br J Nutr* 2009;101:1427-31.
69. Nezhat C, Lavie O, Hsu S, Watson J, Barnett O, Lemire M. Robotic-assisted laparoscopic myomectomy compared with standard laparoscopic myomectomy-a retrospective matched control study. *Fertil Steril* 2009;91:556-9.
70. Nagata C, Nakamura K, Oba S, Hayashi M, Takeda N, Yasuda K. Association of intakes of fat, dietary fibre, soya isoflavones and alcohol with uterine fibroids in Japanese women. *Br J Nutr* 2009;101:1427-31.
71. Nezhat C, Lavie O, Hsu S, Watson J, Barnett O, Lemire M. Robotic-assisted laparoscopic myomectomy compared with standard laparoscopic myomectomy-a retrospective matched control study. *Fertil Steril* 2009;91:556-9.
72. Parazzini F, Negri E, La Vecchia C, Chatenoud L, Ricci E, Guarnerio P. Reproductive factors and risk of uterine fibroids. *Epidemiology* 1996;7:440-2.
73. Parker WH. Etiology, symptomatology, and diagnosis of uterine myomas. *Fertil Steril* 2007;87:725-36.
74. Peric H, Fraser IS. The symptomatology of adenomyosis. *Best Pract Res Clin Obstet Gynaecol* 2006;20:547-55.
75. Pron G, Bennett J, Common A, Wall J, Asch M, Sniderman K; Ontario Uterine Fibroid Embolization Collaboration Group. The Ontario Uterine Fibroid Embolization Trial. Part 2. Uterine fibroid reduction and symptom relief after uterine artery embolization for fibroids. *Fertil Steril* 2003;79:120-7.
76. Ramzy AM, Sattar M, Amin Y, Mansour RT, Serour GI, Aboulghar MA. Uterine myomata and outcome of assisted re-

- production. *Hum Reprod* 1998;13:198-202.
77. Rody A, Jackisch C, Klockenbusch W, Heinig J, Coenen-Worch V, Schneider HP. The conservative management of adnexal torsion-a case report and review of the literature. *Eur J Obstet Gynecol Reprod Biol* 2002;101:83-6.
78. Roopa BA, Loganath A, Singh K. The effect of a levonorgestrel-releasing intrauterine system on angiogenic growth factors in the endometrium. *Hum Reprod* 2003;18:1809-19.
79. Ravina JH, Herbreteau D, Ciraru-Vigneron N, Bouret JM, Houdart E, Aymard A, Merland JJ. Arterial embolization to treat uterine myomata. *Lancet* 1995;346:671-2.
80. Ravina JH, Vigneron NC, Aymard A, Le Dref O, Merland JJ. Pregnancy after embolization of uterine myoma: report of 12 cases. *Fertil Steril* 2000;73:1241-43.
81. Samaha M, Woodruff JD. Paratubal cysts: frequency, histogenesis, and associated clinical features. *Obstet Gynecol* 1985;65:691-4.
82. Samanthal KK, Black WC 3rd. Benign ovarian stromal tumors associated with free peritoneal fluid. *Am J Obstet Gynecol* 1970;107:538-45.
83. Sampson JA. The blood supply of uterine myomata. *Surg Gynecol Obstet* 1912;14:215-30.
84. Schwartz SM, Marshall LM, Baird DD. Epidemiologic contributions to understanding the etiology of uterine leiomyomata. *Environ Health Perspect* 2000;108:821-27.
85. Schwartz SM. Epidemiology of uterine leiomyomata. *Clin Obstet Gynecol* 2001;44:316-26.
86. Sheng J, Zhang WY, Zhang JP, Lu D. The LNG-IUS study on adenomyosis: a 3-year follow-up study on the efficacy and side effects of the use of levonorgestrel intrauterine system for the treatment of dysmenorrhea associated with adenomyosis. *Contraception* 2009;79:189-93.
87. Sizzi O, Rossetti A, Malzoni M, Minelli L, La Grotta F, Soranna L et al. Italian multicenter study on complications of laparoscopic myomectomy. *J Minim Invasive Gynecol* 2007;14:453-62.
88. Smart O C, Hindley J T, Regan L, Gedroyc W G. Gonadotrophin-releasing hormone and magnetic-resonance-guided ultrasound surgery for uterine leiomyomata. *Obstet Gynecol* 2006;108:49-54.
89. Socolov D, Blidaru I, Tamba B, Miron N, Boiculescu L, Socolov R. Levonorgestrel releasing-intrauterine system for the treatment of menorrhagia and/or frequent irregular uterine bleeding associated with uterine leiomyoma. *Eur J Contracept Reprod Health Care* 2011;16:480-7.
90. Son HJ, Kim SW, Yoon JH, Jeong MY, Cho HH, Ryu SW et al. Influence of minilaparotomy total hysterectomy on the clinical course of patients. *Korean J Obstet Gynecol* 2001;44:1464-8.
91. Soysal S, Soysal ME. The efficacy of levonorgestrel-releasing intrauterine device in selected cases of myoma-related menorrhagia: a prospective controlled trial. *Gynecol Obstet Invest* 2005;59:29-35.
92. Spies JB, Bruno J, Czyzda-Pommersheim F, Magee ST, Ascher SA, Jha RC. Long-term outcome of uterine artery embolization of leiomyomata. *Obstet Gynecol* 2005;106:933-9.
93. Stein AL, Koonings PP, Schlaerth JB, Grimes DA, d'Ablaing G 3rd. Relative frequency of malignant parovarian tumors: should paroavian tumors be aspirated. *Obstet Gynecol* 1990;75:1029-31.
94. Stovall DW. Alternatives to hysterectomy: focus on global endometrial ablation, uterine fibroid embolization, and magnetic resonance-guided focused ultrasound. *Menopause* 2011;18:437-44.
95. Taran FA, Hesley G K, Gorny K R, Stewart E A. What factors currently limit magnetic resonance-guided focused ultrasound of leiomyomas- A survey conducted at the first international symposium devoted to clinical magnetic resonance-guided focused ultrasound. *Fertil Steril* 2010;94:331-420.
96. Valentini A, Specchia S, Gui B, Soglia B, Micco M, Bonomo L. Adenomyosis: from the sign to the diagnosis. Imaging, diagnostic pitfalls and differential diagnosis: a pictorial review. 1-21.
97. Varasteh NN, Neuwirth RS, Levin B, Keltz MD. Pregnancy rates after hysteroscopic polypectomy and myomectomy in infertile women. *Obstet Gynecol* 1999;94:168-71.
98. Varila E, Wahlstrom T, Rauramo I. A 5-year follow-up study on the use of a levonorgestrel intrauterine system in women replacement therapy. *Fertil Steril* 2001;76:969-73.
99. Vashisht A, Smith JR, Thorpe-Beeston G, McCall J. Pregnancy subsequent to uterine artery embolization. *Fertil Steril* 2001;75:1246-48.
100. Vercellini P, Vigano P, Somigliana E, Daguati R, Abbiati A, Fedele L. Adenomyosis: epidemiological factors. *Best Pract Res Clin Obstet Gynaecol* 2006;20:465-77.
101. Vilos GA, Vilos EC, Romano W, Abu-Rafea B. Temporary uterine artery occlusion for treatment of menorrhagia and uterine fibroids using and incisionless Doppler-guided transvaginal clamp: case report. *Hum Reprod* 2005;21:269-71.
102. Wada S, Kudo M, Minakami H. Spontaneous uterine rupture of a twin pregnancy after a laparoscopic adenomyectomy: a case report. *J Minim Invasive Gynecol* 2006;13:166-8.
103. Walker CL, Cesen-Cummings K, Houle C, Baird D, Barrett

- JC, Davis B. Protective effect of pregnancy for development of uterine leiomyoma, *Carcinogenesis* 2001;22:2049-52.
104. Walker WJ, Barton-Smith P. Long-term follow up of uterine artery embolization - an effective alternative in the treatment of fibroids, *BJOG* 2006;113:464-8.
105. Walker WJ, Pelage JP. Uterine artery embolisation for symptomatic fibroids: clinical results in 400 women with imaging follow up. *BJOG* 2002;109:1262-72.
106. Wamsteker K, Emanuel MH, de Kruif JH. Transcervical hysteroscopic resection of submucous fibroids for abnormal uterine bleeding: results regarding the degree of intramural extension. *Obstet Gynecol* 1993;82:736-40.
107. William H. Parker, Uterine Fibroids. In: Jonathan SB, editor. *Berek & Novak's gynecology*. 16th edition. Lippincott Williams&Wilkins. 2020. p 236
108. Wise LA, Palmer JR, Harlow BL, Spiegelman D, Stewart EA, Adams-Campbell LL, et al. Reproductive factors, hormonal contraception, and risk of uterine leiomyomata in African-American women: a prospective study. *Am J Epidemiol* 2004;159:113-23.
109. Wise LA, Palmer JR, Harlow BL, Spiegelman D, Stewart EA, Adams-Campbell LL, et al. Risk of uterine leiomyomata in relation to tobacco, alcohol and caffeine consumption in the Black Women's Health Study. *Hum Reprod* 2004;19:1746-54.
110. Worthington-Kirsch R, Spies JB, Myers ER, Mulgund J, Mauro M, Pron G, et al. FIBROID Investigators. The Fibroid Registry for outcomes data (FIBROID) for uterine embolization: short-term outcomes. *Obstet Gynecol* 2005;106:52-9.
111. Xiao B, Wu SC, Chong J, Zeng T, Han LH, Luukkainen T. Therapeutic effects of the levonorgestrel-releasing intrauterine system in the treatment of idiopathic menorrhagia. *Fertil Steril* 2003;79:963-9.
112. Yazawa H, Endo S, Hayashi S, Suzuki S, Ito A, Fujimori K. Spontaneous uterine rupture in the 33rd week of IVF pregnancy after laparoscopically assisted enucleation of uterine adenomatoid tumor. *J Obstet Gynaecol Res* 2011;37:452-7.
113. Yu L, Saile K, Swartz CD, He H, Kissling GE, et al. Differential expression of receptor tyrosine kinases (RTKs) and IGF-I pathway activation in human uterine leiomyomas. *Mol Med* 2008;14:264-75.
114. Zweizig S, Perron J, Grubb D, Mishell DR Jr. Conservative management of adnexal torsion. *Am J Obstet Gynecol* 1993;168:1791-5