

CHAPTER

50

참고 문헌

1. Alteri A, Corti L, Sanchez AM, Rabellotti E, Papaleo E, Vigano P. Assessment of pre-implantation genetic testing for embryo aneuploidies: a SWOT analysis. *Clin Genet* 2019;95:479–87.
2. Barker DL, Hansen MS, Faruqi AF, Giannola D, Irsula OR, Lasken RS, Latterich M, Makarov V, Oliphant A, Pinter JH, Shen R, Sleptsova I, Ziehler W, Lai E. Two methods of whole-genome amplification enable accurate genotyping across a 2320-SNP linkage panel. *Genome Res* 2004;14:901–7.
3. Bradley CK, Livingstone M, Traversa MV, McArthur SJ. Impact of multiple blastocyst biopsy and vitrification-warming procedures on pregnancy outcomes. *Fertil Steril* 2017;108:999–1006.
4. Burlet P, Frydman N, Gigarel N, Kerbrat V, Tachdjian G, Feyereisen E, Bonnefont JP, Frydman R, Munnich A, Steffann J. Multiple displacement amplification improves PGD for fragile X syndrome. *Mol Hum Reprod* 2006;12:647–52.
5. Carvalho F, Coonen E, Goossens V, et al.; ESHRE PGT Consortium Steering Committee. ESHRE PGT Consortium good practice recommendations for the organisation of PGT. 2020;2020(3):hoaa021,doi:10.1093/hopen/hoaa021
6. Collins SC, Xu X, Mak W. Cost-effectiveness of preimplantation genetic screening for women older than 37 undergoing in vitro fertilization. *J Assist Reprod Genet* 2017;34:1515–22.
7. Colls P, Escudero T, Fischer J, Cekleniak NA, Ben-Ozer S, Meyer B, Damien M, Grifo JA, Hershlag A, Munne S. Validation of array comparative genome hybridization for diagnosis of translocations in preimplantation human embryos. *Reprod Biomed Online* 2012;24:621–9.
8. Cram DS, Leigh D, Handyside A, Rechitsky L, Xu K, Harton G, Grifo J, Rubio C, Fragouli E, Kahraman S, Forman E, Katz-Jaffe M, Tempest H, Thornhill A, Strom C, Escudero T, Qiao J, Munné S, Simpson JL, Kuliev A. EDITORIAL. PGDIS Position Statement on the Transfer of Mosaic Embryos 2019. *Reprod Biomed* 2019;39(Supple 1):e1–4.
9. de Boer KA, Catt JW, Jansen RP, Leigh D, McArthur S. Moving to blastocyst biopsy for preimplantation genetic diagnosis and single embryo transfer at Sydney IVF. *Fertil Steril* 2004;82:295–8.
10. Dreesen JC, Jacobs LJ, Bras M, Herbergs J, Dumoulin JC, Geraedts JP, Evers JL, Smeets HJ. Multiplex PCR of polymorphic markers flanking the CFTR gene: a general approach for preimplantation genetic diagnosis of cystic fibrosis. *Mol Hum Reprod* 2000;6:391–6.
11. Ethics Committee of the American Society for Reproductive Medicine. Transferring embryos with genetic anomalies detected in preimplantation testing: an Ethics Committee opinion. *Fertil Steril* 2017;107:1130–5.
12. Ethics Committee of the American Society for Reproductive Medicine. Use of preimplantation genetic testing for monogenic defects (PGT-M) for adult-onset conditions: an Ethics Committee opinion. *Fertil Steril* 2018;109:989–92
13. Fiorentino F, Biricik A, Nuccitelli A, De Palma R, Kahraman S, Iacobelli M, Trengia V, Caserta D, Bonu MA, Borini A, Baldi M. Strategies and clinical outcome of 250 cycles of preimplantation genetic diagnosis for single gene disorders. *Hum Reprod* 2006;21:670–84.
14. Fiorentino F, Bono S, Biricik A, Nuccitelli A, Cotroneo E, Cottone G, Kokociński F, Michel CE, Minasi MG, Greco E. Application of next-generation sequencing technology for comprehensive aneuploidy screening of blastocysts in clinical preimplantation genetic screening cycles. *Hum Reprod* 2014;29:2802–13.
15. Fragouli E, Alfarawati S, Spath K, Babariya D, Tarozzi N, Borini A, et al. Analysis of implantation and ongoing pregnan-

- cy rates following the transfer of mosaic diploid-aneuploid blastocysts, *Hum Genet* 2017;136:805–19.
16. Gleicher N, Albertini FD, Barad DH, Homer H, Modi D, Murtinger M, Patrizio P, Orvieto R, Takhashi S, Weghofer A, Ziebe S, Noyes N, on behalf of the International Do No Harm Group in IVF (IDNHG-IVF). The 2019 PGDIS position statement on transfer of mosaic embryos within a context of new information on PGT-A. *Reprod Biol Endocrinol* 2020a;18:57.
17. Gleicher N, Patrizio P, Brivanlou A. Preimplantation Genetic Testing for Aneuploidy - a Castle Built on Sand. *Trends Mol Med* 2021;S1471-4914(20):30313-0.
18. Goldman RH, Racowsky C, Farland LV, Fox JH, Munne S, Ribustello L, et al. The cost of a euploid embryo identified from preimplantation genetic testing for aneuploidy (PGT-A): a counseling tool. *J Assist Reprod Genet* 2018;35:1641–50.
19. Greco E, Minasi MG, Fiorentino F. Healthy babies after intrauterine transfer of mosaic aneuploid blastocysts. *N Engl J Med* 2015;373:2089–90.
20. Handyside AH, Harton GL, Mariani B, et al. Karyomapping: a universal method for genome wide analysis of genetic disease based on mapping crossovers between parental haplotypes. *J Med Genet* 2010;47:651–8.
21. Handyside AH, Lesko JG, Tarin JJ, Winston RM, Hughes MR. Birth of a normal girl after in vitro fertilization and preimplantation diagnostic testing for cystic fibrosis. *N Engl J Med* 1992;327:905-9.
22. Handyside AH, Robinson MD, Simpson RJ, Omar MB, Shaw MA, Grudzinskas JG, Rutherford A. Isothermal whole genome amplification from single and small numbers of cells: a new era for preimplantation genetic diagnosis of inherited disease. *Mol Hum Reprod* 2004;10:767-72.
23. Harper JC, Boelaert K, Geraedts J, Harton G, Kearns WG, Moutou C, Muntjewerff N, Repping S, SenGupta S, Scriven PN, Traeger-Synodinos J, Vesela K, Wilton L, Sermon KD. ESHRE PGD Consortium data collection V: cycles from January to December 2002 with pregnancy follow-up to October 2003. *Hum Reprod* 2006;21:3–21.
24. Harton GL, Cinnioglu C, Fiorentino F. Current experience concerning mosaic embryos diagnosed during preimplantation genetic screening. *Fertil Steril* 2017;107:1113–9.
25. Hegde MR, Chin EL, Mulle JG, Okou DT, Warren ST, Zwick ME. Microarray-based mutation detection in the dystrophin gene. *Hum Mutat* 2008;29:1091-9.
26. Huang C, Jiang W, Zhu Y, Li H, Lu J, Yan J, et al. Pregnancy outcomes of reciprocal translocation carriers with two or more unfavorable pregnancy histories: before and after preimplantation genetic testing. *J Assist Reprod Genet* 2019;36:2325–31.
27. Kahraman S, Beyazyurek C, Ekmekci CG. Seven years of experience of preimplantation HLA typing: a clinical overview of 327 cycles. *Reprod Biomed Online* 2011;23:363-71.
28. Kim JY, Lim CK, Song IO, Yoo KJ, Yang KM, Han KS, Hur K, Song JH, Jun JH, Min DM, Park SY, Jun JY, Koong MK, Kang IS. Outcome of preimplantation genetic diagnosis for chromosome aneuploidy and genetic disease. *Korean J Fertil Steril* 2002;29:269-78.
29. Kim MJ, Lee HS, Choi HW, Lim CK, Cho JW, Kim JY, Song IO, Kang IS. Establishment and application of molecular genetic techniques for preimplantation genetic diagnosis of osteogenesis imperfecta. *Korean J Reprod Med* 2008;35:99-110.
30. Langmore JP. Rubicon Genomics, Inc. Pharmacogenomics 2002;3:557-60.
31. Lee HS, Choi HW, Lim CK, Min DM, Byun HK, Kim JY, Koong MK, Yoo HW, Kim SC, Jun JH, Kang IS. Successful preimplantation genetic diagnosis for ornithine transcarbamylase deficiency, junctional epidermolysis bullosa and lactic acidosis using duplex nested PCR: delivery of healthy baby by specific preimplantation genetic diagnosis for ornithine tran. *Korean J Obstet Gynecol* 2004;47:708-18.
32. Lee HS, Kim MJ, Ko DS, Jeon EJ, Kim JY, Kang IS. Preimplantation genetic diagnosis for Charcot-Marie-Tooth disease. *Clin Exp Reprod Med* 2013;40:163-8.
33. Lim CK, Jun JH, Min DM, Lee HS, Kim JY, Koong MK, Kang IS. Efficacy and clinical outcome of preimplantation genetic diagnosis using FISH for couples of reciprocal and Robertsonian translocations: the Korean experience. *Prenat Diagn* 2004;24:556-61.
34. Lukaszuk K, Pukszta S, Wells D, Cybulski C, Liss J, Plocienik L, Kuczynski W, Zabielska J. Routine use of next-generation sequencing for preimplantation genetic diagnosis of blastomeres obtained from embryos on day 3 in fresh in vitro fertilization cycles. *Fertil Steril* 2015;103:1031-6.
35. Mastenbroek S, Twisk M, van Echten-Arends J, SikkemaRadatz B, Korevaar JC, Verhoeve HR, Vogel NE, Arts EG, de Vries JW, Bossuyt PM, Buys CH, Heineman MJ, Repping S, van der Veen F. In vitro fertilization with preimplantation genetic screening. *N Engl J Med* 2007;357:9-17.
36. Mateu-Bruell E, Rodrigo L, Peinado V, Mercader A, Campos-Galindo I, Bronet F, et al. Interchromosomal effect in carriers of translocations and inversions assessed by preimplantation genetic testing for structural rearrangements (PGT-SR). *J Assist Reprod Genet* 2019;36:2547–55
37. Maxwell SM, Colls P, Hodes-Wertz B, McCulloh DH, McCaffrey C, Wells D, et al. Why do euploid embryos miscarry? A case-control study comparing the rate of aneuploidy within

- presumed euploid embryos that resulted in miscarriage or live birth using next-generation sequencing. *Fertil Steril* 2016;106:1414–9.e5.
38. McArthur SJ, Leigh D, Marshall JT, de Boer KA, Jansen RP. Pregnancies and live births after trophectoderm biopsy and preimplantation genetic testing of human blastocysts. *Fertil Steril* 2005;84:1628–36.
39. Munne S, Blazek J, Large M, Martinez-Ortiz PA, Nisson H, Liu E, et al. Detailed investigation into the cytogenetic constitution and pregnancy outcome of replacing mosaic blastocysts detected with the use of highresolution next-generation sequencing. *Fertil Steril* 2017;108:62–71.e8.
40. Munne S, Cohen J, Sable D. Preimplantation genetic diagnosis for advanced maternal age and other indications. *Fertil Steril* 2002;78:234–6.
41. Munne S, Sandalinas M, Escudero T, Fung J, Gianaroli L, Cohen J. Outcome of preimplantation genetic diagnosis of translocations. *Fertil Steril* 2000;73:1209–18.
42. Munne S, Sandalinas M, Escudero T, Marquez C, Cohen J. Chromosome mosaicism in cleavage-stage human embryos: evidence of a maternal age effect. *Reprod Biomed Online* 2002;4:223–32.
43. Munne S, Spinella F, Grifo J, Zhang J, Beltran MP, Fragouli E, et al. Clinical outcomes after the transfer of blastocysts characterized as mosaic by high resolution next generation sequencing—further insights. *Eur J Med Genet* 2020;63:103741.
44. Munne S, Wells D. Detection of mosaicism at blastocyst stage with the use of high-resolution next-generation sequencing. *Fertil Steril* 2017;107:1085–91.
45. Munne S. Preimplantation genetic diagnosis for aneuploidy and translocations using array comparative genomic hybridization. *Curr Genomics* 2012;13:463–70.
46. Murugappan G, Ohno MS, Lathi RB. Cost-effectiveness analysis of preimplantation genetic screening and in vitro fertilization versus expectant management in patients with unexplained recurrent pregnancy loss. *Fertil Steril* 2015;103:1215–20.
47. Natesan, S.A., A.H. Handyside, A.R. Thornhill, C.S. Ottolini, K. Sage, M.C. Summers, M. Konstantinidis, D. Wells, and D.K. Griffin. 2014b. Live birth after PGD with confirmation by a comprehensive approach (karyomapping) for simultaneous detection of monogenic and chromosomal disorders. *Reproductive biomedicine online*. 2014; 29:600-5.
48. Natesan, S.A., A.J. Bladon, S. Coskun, W. Qubbaj, R. Prates, S. Munne, E. Coonen, J.C. Dreesen, S.J. Stevens, and A.D. Paulussen. Genome-wide karyomapping accurately identifies the inheritance of single-gene defects in human preimplantation embryos in vitro. *Genetics in Medicine*. 2014;16:838–45
49. Neal SA, Sun L, Jalas C, Morin SJ, Molinaro TA, Scott RT Jr. When nextgeneration sequencing-based preimplantation genetic testing for aneuploidy (PGT-A) yields an inconclusive report: diagnostic results and clinical outcomes after re biopsy. *J Assist Reprod Genet* 2019;36:2103–9.
50. Pagliardini L, Vigano P, Alteri A, Corti L, Somigliana E, Paolino E. Shooting STAR: reinterpreting the data from the “Single Embryo Transfer of Euploid Embryo” randomized clinical trial. *Reprod Biomed Online* 2020;40:475–8.
51. Paulson RJ. Outcome of in vitro fertilization cycles with preimplantation genetic testing for aneuploidies: let's be honest with one another. *Fertil Steril*. 2019;112(6):1013–4.
52. PGDIS. Preimplantation Genetic Diagnosis International Society (PGDIS) Position Statement on chromosome mosaicism and preimplantation aneuploidy testing at the blastocyst stage, 2016, http://pgdis.org/docs/newsletter_071816.html.
53. Poli M, Girardi L, Fabiani M, Moretto M, Romanelli V, Patazzini C, et al. Past, present, and future strategies for enhanced assessment of embryo's genome and reproductive competence in women of advanced reproductive age. *Front Endocrinol (Lausanne)* 2019;10:154.
54. Popovic M, Dhaenens L, Boel A, Menten B, Heindryckx B. Chromosomal mosaicism in human blastocysts: the ultimate diagnostic dilemma. *Hum Reprod Update* 2020;26:313–34
55. Practice Committee and Genetic Counseling Professional Group (GCPG) of the American Society for Reproductive Medicine, Clinical management of mosaic results from preimplantation genetic testing for aneuploidy (PGT-A) of blastocysts: a committee opinion. *Fertil Steril*. 2020;114(2):246–54.
56. Practice Committees of the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology. The use of preimplantation genetic testing for aneuploidy (PGT-A): a committee opinion. *Fertil Steril* 2018;109:429–36.
57. Rechitsky S, Verlinsky O, Chistokhina A, Sharapova T, Ozen S, Masciangelo C, Kuliev A, Verlinsky Y. Preimplantation genetic diagnosis for cancer predisposition. *Reprod Biomed Online* 2002;5:148–55.
58. Rosenwaks Z, Handyside AH, Fiorentino F, Gleicher N, Paulson RJ, Schattman GL, et al. The pros and cons of preimplantation genetic testing for aneuploidy: clinical and laboratory perspectives. *Fertil Steril* 2018;110:353–61
59. Schoolcraft WB, Treff NR, Stevens JM, Ferry K, Katz-Jaffe M, Scott RT Jr. Live birth outcome with trophectoderm biopsy, blastocyst vitrification, and single-nucleotide polymorphism microarray-based comprehensive chromosome screening in

- infertile patients. *Fertil Steril* 2011;96:638–40.
60. Scott RT Jr, Upham KM, Forman EJ, Hong KH, Scott KL, Taylor D, Tao X, Treff NR. Blastocyst biopsy with comprehensive chromosome screening and fresh embryo transfer significantly increases in vitro fertilization implantation and delivery rates: a randomized controlled trial. *Fertil Steril* 2013;100:697–703.
61. Scriven PN. Toward a better understanding of preimplantation genetic screening for aneuploidy: insights from a virtual trial for women under the age of 40 when transferring embryos one at a time. *Reprod Biol Endocrinol* 2017;15:49.
62. Sharara F, Goodwin M, Abdo GA. Discrepancy in PGT-A results among different genetic reference laboratories: how accurate are the results and are we discarding euploid embryos? *Fertil Steril* 2018;110:e407–8.
63. Somigliana E, Busnelli A, Paffoni A, Vigano P, Riccaboni A, Rubio C, et al. Cost-effectiveness of preimplantation genetic testing for aneuploidies. *Fertil Steril* 2019;111:1169–76.
64. Spinella F, Fiorentino F, Biricik A, Bono S, Ruberti A, Cotroneo E, et al. Extent of chromosomal mosaicism influences the clinical outcome of in vitro fertilization treatments. *Fertil Steril* 2018;109:77–83.
65. Taylor TH, Gitlin SA, Patrick JL, Crain JL, Wilson JM, Griffin DK. The origin, mechanisms, incidence and clinical consequences of chromosomal mosaicism in humans. *Hum Reprod Update* 2014;20:571–81.
66. Treff NR, Su J, Kasabwala N, Tao X, Miller KA, Scott RT Jr. Robust embryo identification using first polar body single nucleotide polymorphism microarray-based DNA fingerprinting. *Fertil Steril* 2010;93:2453–5.
67. Ubaldi FM, Cimadomo D, Capalbo A, Vaiarelli A, Buffo L, Trabucco E, et al. Preimplantation genetic diagnosis for aneuploidy testing in women older than 44 years: a multicenter experience. *Fertil Steril* 2017;107:1173–80.
68. Victor AR, Tyndall JC, Brake AJ, Lepkowsky LT, Murphy AE, Griffin DK, et al. One hundred mosaic embryos transferred prospectively in a single clinic: exploring when and why they result in healthy pregnancies. *Fertil Steril* 2019;111:280–93.
69. Wells D, Kaur K, Grifo J, Glassner M, Taylor JC, Fragouli E, Munne S. Clinical utilisation of a rapid low-pass whole genome sequencing technique for the diagnosis of aneuploidy in human embryos prior to implantation. *J Med Genet* 2014;51:553–62.
70. Yatsenko SA, Rajkovic A. In: Norton ME, Kuller JA, Dugoff L, editors. *Perinatal genetics*. St. Louis, Missouri: Mica Haley; 2019:161–73.
71. Zhang L, Wei D, Zhu Y, Gao Y, Yan J, Chen ZJ. Rates of live birth after mosaic embryo transfer compared with euploid embryo transfer. *J Assist Reprod Genet* 2019;36:165–72.
72. Zore T, Kroener LL, Wang C, Liu L, Buyalos R, Hubert G, et al. Transfer of embryos with segmental mosaicism is associated with a significant reduction in live-birth rate. *Fertil Steril* 2019;111:69–76.